

Daftar Nilai Mata Kuliah Sistem Kendali Optimal Program S1
Tahun Ajaran 2004 - 2005

No.	Stambuk	Nama	T1	T2	T3	MID	FINAL	Bu Ejah
1	D411 01 125	Ricky Melowa	4.25	3.25	0.00	0.00		85.00
2	D411 01 004	Asriyanto Nasir	4.25	4.00	3.75	89.00		94.25
3	D411 01 023	Ferdy Wisana	4.00	3.50	3.75	77.00		88.50
4	D411 01 112	Elisabeth Natalia	4.00	0.00	3.75	62.00		63.75
5	D411 01 021	Ferdian Sulias	4.00	4.00	4.00	83.00		93.50
6	D411 01 108	Tri Puji S.I	4.00	0.00	3.75	56.00		92.75
7	D411 00 085	Lukman Hakim	4.00	4.00	0.00	0.00		48.00
8	D411 99 106	Irwan Affandy	4.00	0.00	0.00	77.00		22.75
9	D411 01 020	Wiliam A. Gosal	4.00	4.00	4.00	79.00		93.00
10	D411 01 022	Christian Yohanes	3.75	3.75	3.75	93.00		93.75
11	D411 00 160	Harpan Jaya Sakti	3.50	3.50	3.25	86.00		47.75
12	D411 00 129	Risa Ramadhani	3.50	0.00	0.00	51.00		53.00
13	D411 00 180	Isni Sumsulawati	3.25	3.00	3.50	81.00		51.25
14	D411 01 066	Nurul Atika	3.00	3.25	3.50	56.00		37.75
15	D411 01 058	Fakhruddin	3.00	0.00	0.00	0.00		0.00
16	D411 99 131	Rosdiana Syamsuddin	3.00	3.00	3.50	52.00		2.75
17	D411 99 129	Martinus Ramba	0.00	0.00	3.50	66.00		23.50
18	D411 00 065	Amaliyah Anwar	0.00	0.00	0.00	41.00		33.00
19	D411 01 037	Ifham Baharuddinj	0.00	0.00	0.00	60.00		42.75

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2004 - 2005

No.	Nomor Pokok	Nama	T1	T2	T3	MID	FINAL	P' Naja
1	P22032 03007	Ibrahim Abduh	4.25	4.25	4.25	88.00		90.00
2	P22032 03002	Ahmad	4.00	4.00	3.75	90.00		90.00
3	P22032 03008	Imanuel Damasar	4.00	4.00	3.75	90.00		90.00
4	P22032 03003	Baso	4.00	4.00	4.00	74.00		90.00
5	P22032 03004	Christian Lumembang	3.75	4.00	3.75	84.00		90.00
6	P22032 03001	Adyguna Utina	3.75	4.00	4.00	90.00		90.00
7	P22032 03005	Herlinda	3.50	4.00	3.50	81.00		85.00
8	P22032 03006	Husain T.	3.50	4.00	4.00	79.00		85.00
9	P22032 03011	Mansur	3.50	4.00	3.75	78.00		85.00
10	P22032 03009	Iswan	3.50	4.00	3.50	83.00		87.00
11	P22032 03016	Yedi George Y.L.	3.50	4.00	4.00	91.00		82.00
12	P22032 03014	Sudirman	3.25	4.00	3.75	91.00		90.00
13	P22032 03013	Sri Kurniati	3.25	4.00	4.00	91.00		90.00

[illegible][illegible]

Daftar Nilai Mata Kuliah Sistem Kendali Optimal Program S1
Tahun Ajaran 2004 - 2005

No.	Stambuk	Nama	T1	T2	T3	MID	FINAL	Bu Ejah	TOTAL	HURUF	
		Test	4.00	4.00	4.00	100	100	100	100	A+	
1	D411 01 022	Christian Yohanes	3.75	3.75	3.75	93	74	93.75	89	A+	>=86
2	D411 01 004	Asriyanto Nasir	4.25	4.00	3.75	89	63	94.25	86	A	>=84
3	D411 01 021	Ferdian Sulias	4.00	4.00	4.00	83	48	93.50	81	A-	
4	D411 01 020	Wiliam A. Gosal	4.00	4.00	4.00	79	48	93.00	80	A-	
5	D411 01 023	Ferdy Wisana	4.00	3.50	3.75	77	59	88.50	80	A-	>=80
6	D411 01 108	Tri Puji S.I	4.00	0.00	3.75	56	30	92.75	69	B	>=66
7	D411 00 180	Isni Sumsulawati	3.25	3.00	3.50	81	54	51.25	59	B-	
8	D411 01 112	Elisabeth Natalia	4.00	0.00	3.75	62	39	63.75	57	B-	
9	D411 00 160	Harpan Jaya Sakti	3.50	3.50	3.25	86	47	47.75	57	B-	>=51
10	D411 01 125	Ricky Melowa	4.25	3.25	0.00	0		85.00	47	T	
11	D411 99 129	Martinus Ramba	3.50	3.50	3.50	66	67	23.50	47	C	
12	D411 00 129	Risa Ramadhani	3.50	0.00	0.00	51	33	53.00	46	C	
13	D411 01 037	Ifham Baharuddin	0.00	0.00	0.00	60	52	42.75	45	C	
14	D411 01 066	Nurul Atika	3.00	3.25	3.50	56	27	37.75	42	C	>=41
15	D411 99 106	Irwan Affandy	4.00	0.00	0.00	77	33	22.75	36	D	
16	D411 00 065	Amaliyah Anwar	0.00	0.00	0.00	41	39	33.00	33	D	>=33
17	D411 00 085	Lukman Hakim	4.00	4.00	0.00	0		48.00	29	T	
18	D411 99 131	Rosdiana Syamsuddin	3.00	3.00	3.50	52	47	2.75	28	T	
19	D411 01 058	Fakhrudin	3.00	0.00	0.00	0		0.00	2	T	

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2004 - 2005

No.	Nomor Pokok	Nama	T1	T2	T3	MID	FINAL	P' Naja	TOTAL	HURUF	
		Test	4.00	4.00	4.00	100	100	100	100	A+	
1	P22032 03007	Ibrahim Abduh	4.25	4.25	4.25	88	86	90.00	90	A	>=90
2	P22032 03001	Adyguna Utina	3.75	4.00	4.00	90	84	90.00	89	A-	
3	P22032 03008	Imanuel Damasar	4.00	4.00	3.75	90	77	90.00	87	A-	
4	P22032 03004	Christian Lumembang	3.75	4.00	3.75	84	81	90.00	87	A-	
5	P22032 03002	Ahmad	4.00	4.00	3.75	90	76	90.00	87	A-	
6	P22032 03013	Sri Kurniati	3.25	4.00	4.00	91	71	90.00	86	A-	
7	P22032 03003	Baso	4.00	4.00	4.00	74	79	90.00	85	A-	
8	P22032 03014	Sudirman	3.25	4.00	3.75	91	68	90.00	85	A-	>=85
9	P22032 03009	Iswan	3.50	4.00	3.50	83	76	87.00	84	B	
10	P22032 03016	Yedi George Y.L.	3.50	4.00	4.00	91	78	82.00	84	B	
11	P22032 03005	Herlinda	3.50	4.00	3.50	81	77	85.00	83	B	
12	P22032 03006	Husain T.	3.50	4.00	4.00	79	77	85.00	83	B	
13	P22032 03011	Mansur	3.50	4.00	3.75	78	77	85.00	82	B	>=80

No.	Nomor Pokok	Nama	X	Y	Tepung	Telur	Untung			
1	4002	A. Rizal Sultan	0.00	100.00	1.00	50	Rp30,000.00			
2	4004	Muhammad Thahir	100.00	500.00	15.00	50	Rp230,000.00			
3	4021	Fikri Mulwy	20.00	120.00	10.00	24	Rp22,000.00			
4	4001	Rukmini	0.00	800.00	20.00	100	Rp320,000.00			
5	4024	Ika Andrian Najib	0.00	166.67	10.00	13	Rp33,333.33			
6	4017	Nurhani Amin	0.00	700.00	35.00	70	Rp280,000.00			
7	4008	N.L. Bijang	0.00	533.33	16.00	27	Rp42,666.66			
8	4026	Zulhajji	19.13	48.70	8.00	15	Rp14,521.74			

2007

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2007-2008

No.	Nomor Pokok	Nama	T1	T2	T3	T4	FINAL	TOTAL	Estimasi
		Test	4.00	4.00	4.00	4.00	100	105	A+
1	6019	Muh. Azhar Saleh	4.00	3.75	4.00	3.75	92	98	A
2	6018	Marhatang	4.00	4.00	3.75		94	96	A
3	6017	Kurniawati Naim	4.00	4.00	3.50		92	94	A
4	6023	Sanatang	4.00	3.25	3.50		86	88	A/A-
5	6012	Misbahuddin Buang	3.75	3.00	3.50		79	81	A/A-
6	6025	Subhan Pratama	3.50	3.00	3.50		77	79	A-
7	6024	Muhammad Zainal	3.50	3.00	3.25	3.00	71	76	A-
8	6021	Agussalim	4.00	3.25	3.25		70	73	A-/B
9	6027	Harifuddin	4.00	4.00	4.00	3.75	63	72	A-/B
10	6022	Eodia Tasik S.L.	4.00	4.00	4.00	3.75	62	71	A-/B
11	6026	Tachrir	4.00	4.00	3.50		42	49	B
12	6020	Reny Murniati	4.00	3.75	4.00		41	48	B
13	6028	Abdul Johar	4.00	3.50	3.50		41	47	B

Program Non-Regular MDO

No.	Nomor Pokok	Nama	T1	T2	T3	T4	T5	FINAL	TOTAL	Estimasi
1	8503	Fanny Jouke Doringin	4.00	4.00	3.00	4.00	3.75	63	90	A
2	8504	Jusuf Luther Mapadang	4.00	3.25	3.50	4.00	3.75	61	88	A atau A-
3	85XX	Marike A.S. Kondojo	4.00	3.75	3.50	4.00	3.50	60	87	A atau A-
4	8511	Hans Tumaliang	4.00	3.25	3.50	4.00	3.75	60	86	A atau A-
5	8508	Yoice Putung	4.00	3.50	3.00	4.00	3.50	55	80	A- atau B
6	8506	Sukandar Sawidin	4.00	4.00	4.00	4.00	4.00	53	80	A- atau B
7	8517	Johan F. Makal	4.00	3.50	3.00	4.00	3.50	54	79	A- atau B
8	8510	Ventje Lumentut	4.00	3.25	3.50	4.00	3.75	49	74	B
9	8509	Herry Setiawan Langi	4.00	3.25	3.00	4.00	3.25	49	72	B
10	8513	I Gede Para Atmaja	4.00	4.00	3.75	4.00	3.75	46	71	B
11	8512	Veny Vita Ponggawa	4.00	3.25	3.50	4.00	3.50	46	70	B
12	8516	Ventje Ferdy Aror	3.50	3.25	3.25		3.75	41	63	B atau B-
13	8515	Sonny R. Kasenda	4.00	3.25	3.00	3.25	3.50	41	63	B atau B-
14	8514	Janny O. Wuwung	4.00	3.25	3.50	4.00	3.75	29	50	B atau B-
15	8502	Donald Noya	4.00	3.75	3.50	4.00	3.50	28	50	B atau B-
16	8501	Stephy Beatrix Walukow	4.00	4.00	4.00	4.00	4.00	17	38	B-

Program Regular

[illegible]

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2010-2011

No.	Nomor Pokok	Nama	T1	T2	T3	T4	T5	FINAL	TOTAL	Estimasi
1	9009	Muhammad Syahwil	4.00	4.00	3.75	4.00	4.00	100	100	A
2	9007	A d r i a n i	4.00	4.00	3.25	4.00	3.50	95	95	A
3	9029	A s n i a t i	4.00	4.00	3.25	4.00	3.50	95	95	A
4	9041	Helpiana K. Paelongan	4.00	3.50	3.25	4.00	3.50	95	94	A
5	9006	Andi Muhammad Syafar	4.00	4.00	3.25	4.00	3.75	93	93	A atau A-
6	9059	S u r y a n i	4.00	4.00	3.25	3.00	3.75	93	93	A atau A-
7	9044	Damis Hardiantono	3.75	4.00	3.25	4.00	3.50	89	90	A atau A-
8	9063	Juliana Sulaiman	3.75	3.75	3.25	4.00	3.50	87	88	A-
9	9040	Ponadi Acep	3.75	4.00	3.25	4.00	3.75	86	87	A-
10	9018	Andi Nur Putri	4.00	3.25	3.25	3.75	3.25	86	86	A-
11	9032	Martha Loupatty	4.00	3.50	3.25	4.00	3.50	85	86	A-

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2008-2009

No.	Nomor Pokok	Nama	T1	T2	T3	T5	T4	FINAL	TOTAL	Estimasi
		Test	4.00	4.00	4.00	4.00	4.00	100	108	A
1	7010	Taufik Muchtar	4.00	4.00	3.75	4.00	3.75	92	100	A
2	7003	Irman Amri	4.00	4.00	3.50	4.00	3.75	91	99	A
3	7007	Samuel Jie	4.00	4.00	4.00	4.00	3.75	84	93	A
4	7011	Yusnaeni Arifin	3.75	3.50	3.50	4.00	3.25	78	85	A/A-
5	7036	Ardi Amir	4.00	4.00	3.50	4.00	3.75	63	73	A-
6	7013	Muh. Yusuf Yunus	4.00	3.75	3.50	4.00	3.75	63	72	A-
7	7002	Baso Mukhlis	4.00	3.75	3.75	4.00	3.75	58	68	A-/B
8	7005	Lanto Moh. Kamil Amali	4.00	3.75	3.50	4.00	3.50	57	67	A-/B
9	7001	Ade Irawaty Tagalo	4.00	3.75	3.50	4.00	3.75	45	56	B/B-
10	7006	Paulus Mangera	4.00	4.00	3.50	4.00	3.50	44	55	B/B-
11	7009	Tambi	4.00	3.75	4.00	4.00	3.75	39	51	B/B-
12	7004	Johan Karim	3.75	3.50	4.00	4.00	3.75	29	41	B-
13	7012	Yusri Ambabunga	3.75	3.50	3.50	4.00	3.50	23	35	B-
14	7008	Sulhan Bone	3.75	3.50	3.25	4.00	3.50	16	28	B-

Daftar Nilai Mata Kuliah Sistem Kendali Optimal Program S1
Tahun Ajaran 2006 - 2007

No.	Stambuk	Nama	T1	T2	T3	T4	MID	FINAL	Bu Ejah	TOTAL	HURUF
		Test	4.00	4.00	4.00	4.00	100	100	100	103	A+
1	D41102059	Muh. Iqbal Rasjid	3.75	3.75	3.60	3.55	94	88	55	82	A
2	D41102038	Zainuddin	4.00	3.65	3.35	3.55	93	88	55	81	A
3	D41103020	Putri Ramadhani	3.00	3.25	4.00	4.00	55	90	77	80	A
4	D41102005	Muh. Kasbir	3.75	2.75	3.50	3.70	30	64	65	61	B
5	D41103073	Syarifah RD Ningsih	3.25	2.75	4.00	3.75	38	85	30	59	B
6	D41103035	Ronal P.	3.50	2.75	3.10	3.60	60		70	48	T *)
7	D41102063	Lori Lidwina R.L.	3.25	2.75	3.35	3.45	45		65	43	T *)
8	D41102057	Yushan	3.00	2.75	3.60	3.70	59			) (	K
9	D41103024	Surya Wahyuni A.	3.00	2.75	4.00	3.95	53			) (	K
10	D41102071	Evayenny T.	3.50	2.75	3.35	3.70	36			) (	K
11	D41103062	A. Firdauliah HM	3.50	3.25	3.75	3.75				) (	K
12	D41103033	Sakti Pandarman	3.50	3.25	4.00	3.50				) (	K
13	D41102016	Indra D. Putra	3.25							) (	K

*) Ditunggu sampai tgl. 23 Februari 2007

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2005 - 2006

No.	Nomor Pokok	Nama	T1	T2	T3	MID	FINAL	TOTAL	EST.
		Test	4.00	4.00	4.00	100	100	101	A+
1	5001	Akhmad Taufik	4.00	3.75	2.50	96	90	92	A
2	5004	A s h a r I	4.00	3.75	4.00	85	88	89	A/A-
3	5002	Mohammad Adnan	3.50	3.25	4.00	81	88	86	A-
4	5005	Tadjuddin Hamdhany	3.75	3.25	2.50	55	86	75	B
5	5006	Andi Mencen Ashar	3.50	3.50	4.00	45	88	74	B
6	5003	Antarissubhi S.	3.75	3.75	2.50	33	86	67	B-
7	5007	Muhammad Ridwan	3.50	3.25	4.00	9	72	52	C
8									

>=0

Daftar Nilai Mata Kuliah Sistem Kendali Optimal Program S1
Tahun Ajaran 2005 - 2006

No.	Stambuk	Nama	T1	T2	T3	MID	FINAL	Bu Ejah	TOTAL	HURUF	
		Test	4.00	4.00	4.00	100	100	100	100	A+	
1	D411 02 035	Gito Maryono	3.75	4.25	4.00	55	85	92	82	A	>=81
2	D411 01 117	Ferry Kristanty	3.75	3.70	3.75	73	81	40	67	B+	>=71
3	D411 01 052	Wandasari	2.75	2.75		58	61	60	58	B	>=61
4	D411 01 084	Asriani Purnama	3.50		3.50	65	58	30	50	B-	
5	D411 01 025	Frans Karel	3.25	3.00	2.75	77	18	50	48	B-	>=56
6	D411 01 072	Nirmala Dewi	2.75	2.75		26	61	60	51	C	
7	D411 02 036	Darwin Irawanto	3.50	3.25	3.50	61	40	20	43	C	>=50
8	D411 01 115	Yosef	2.50	2.50		37	35	30	34	E	
9	D411 01 018	Kartika Dewi	3.75	3.50	3.25	) (	) (	28	) (	T	
10	D411 01 070	Umar Muhammad				33	12	15	17	E	
11	D411 02 003	Rakhmat Ibtnas	3.50		3.50	) (	) (	15	) (	T	
12	D411 02 024	Nurfadhilah Nurdin	3.50	3.50		) (	) (	10	) (	T	
13	D411 01 073	Maya Safira	4.25	3.50	3.25	) (	) (	) (	) (	K	
14	D411 02 059	Irma Yanthi	4.00	3.50		) (	) (	) (	) (	K	
15	D411 02 051	Henrie Paulinus M.L.	3.75		3.00	) (	) (	) (	) (	K	
16	D411 02 053	Widya Yusnita	3.50	3.25		) (	) (	) (	) (	K	
17	D411 01 077	S u l h a m		3.50	3.00	) (	) (	) (	) (	K	
18	D411 99 095	Rasydiana Suyuthi	3.75			) (	) (	) (	) (	K	
19	D411 01 099	Ahmad Yusuf	3.50			) (	) (	) (	) (	K	
20	D411 02 095	Lydia Rahman	3.25			) (	) (	) (	) (	K	

Daftar Nilai Mata Kuliah Metode Optimisasi Sistem Tenaga Listrik Program Pasca Sarjana
Tahun Ajaran 2005 - 2006

No.	Nomor Pokok	Nama	T1	T2	T3	MID	FINAL	P' Naja	TOTAL	HRUF	
		Test	4.00	4.00	4.00	100	100	100	106	A+	
1	4002	A. Rizal Sultan	4.00	3.75	4.00	94	76	92	93	A	>=90
2	4004	Muhammad Thahir	3.75	3.75	3.75	73	79	90	89	A-	
3	4021	Fikri Mulwy	4.00	4.00	4.00	67	81	90	89	A-	
4	4001	Rukmini	4.25	3.25	4.00	74	75	87	87	A-	
5	4008	N.L. Bijang	3.50	3.00	3.75	75	75	85	85	A-	
6	4017	Nurhani Amin	3.50	3.50	4.00	58	80	87	85	A-	>=85
7	4024	Ika Andrian Najib	3.25	3.50	4.00	50	73	92	83	B	
8	4026	Zulhajji	3.75	3.75	3.75	39	73	90	80	B	>=80